PWP

(Press Wood Pallet)

MAKER
EAGON ENVIRONMENT CO.,LTD.
www.eagon.com



株式会社 F-ISM

PWP(Press Wood Pallet)とは

安定した価格で環境を考えたパレットです

- 価格競争力そして充実した機能
- 便利さを追求し、環境にやさしい
- 完璧な安全検疫システム
- 世界最高水準の技術力

株式会社 F-ISM

PWP(PressWoodPallet)商品ラインナップ

モデルNo.	EGPW-101	Production Cut	EGPW-103	EGPW-104
規格(mm)	L1100×W1100×H135	L1100×W1050×H135	L1000×W1000×H105	L1220×W1020×H140
自重(kg)	15.5.±1.0	15.5.±1.0	14.0±1.0	15.5.±1.0
動荷重(ton)	2.5	2.5	2.5	2.5
静荷重(ton)	8.0	8.0	8.0	8.0
コンテナ積載量Ft/枚	40/1000 20/500	40/1000 20/500	40/1000 20/500	40/1000 20/500

モデルNO.	EGPW-105	EGPW-106	EGPW-107	EGPW-108
規格(mm)	L1080×W950×H135	L1050×W1000×H100	L1300×W1100×H110	L1080×W1080×H135
自重(kg)	14.5±1.0	14.0±1.0	18.0±1.0	15.0±1.0
動荷重(ton)	2.5	2.5	2.5	2.5
静荷重(ton)	8.0	8.0	8.0	8.0
コンテナ積載量Ft/枚	40/1200 20/600	40/1000 20/500	40HQ/1000 20/400	40/1000 20/500

株式会社 F-ISM

PWP(Press　Wood　Pallet)

木材の副産物とリサイクル資源から生れ
自然にも配慮した環境にやさしい製品です

寿命となったPWP(Press　Wood　Pallet)は
原材料・燃料として再利用可能です



耐荷重:　動荷重2.5t　静荷重8.0t
(一部製品除く)

株式会社　F-ISM

PWP(Press　Wood　Pallet)

一体成型されているため重ねて保管が出来
従来の1/4空間スペースで保管可能です

最大100枚まで重ねて保管可能です
(100枚で約4mの高さ)

フォークリフトで
数十枚取り出し可能です

株式会社　F-ISM

PWP(Press Wood Pallet)

Pb,Cd,Hg,CrなどROHSで規制する
有害物質は、全項目で未検出です

KOREA TESTING & RESEARCH INSTITUTE

KTR www.ktr.or.kr

TEST REPORT
(Additional Copy)

7-6, Gomak-Ri, Wolgot-Myeon, Gimpo-Si, Gyeonggi-Do, KOREA TEL 82-31-999-3000 FAX 82-31-999-3001

Report No : TAH-005006
Client : Chun-Man, Lee
Eagon Environment Co., Ltd.
#67-4, Yulsaeng-Ri, Daegot-Myeon, Gimpo-Si, Gyeonggi-Do, Korea

Receipt Date : Aug.23.2007
Test Date : Aug.30.2007

Sample : Press wood pallet(Green pallet)

TEST RESULTS

TEST ITEM	UNIT	SAMPLE	RESULT	TEST METHOD
Pb	mg/kg		Not Detected	KS M 0032 : 2004 (Apply correspondingly, ICP)(*)
Cd	mg/kg		Not Detected	KS M 0032 : 2004 (Apply correspondingly, ICP)(*)
Hg	mg/kg		Not Detected	KS M 0016 : 2005 (Apply correspondingly, AAS)(*)
Cr(VI)	mg/kg		Not Detected	US EPA Method 3060A : 1996 (Apply correspondingly, UV/Vis)
Total-PBBs	mg/kg		Not Detected	US EPA 8270D(GC/MS)
Mono-BB	mg/kg		Not Detected	US EPA 8270D(GC/MS)
Di-BB	mg/kg		Not Detected	US EPA 8270D(GC/MS)
Tri-BB	mg/kg		Not Detected	US EPA 8270D(GC/MS)
Tetra-BB	mg/kg		Not Detected	US EPA 8270D(GC/MS)
Penta-BB	mg/kg		Not Detected	US EPA 8270D(GC/MS)
Hexa-BB	mg/kg		Not Detected	US EPA 8270D(GC/MS)
Hepta-BB	mg/kg		Not Detected	US EPA 8270D(GC/MS)
Octa-BB	mg/kg		Not Detected	US EPA 8270D(GC/MS)
Nona-BB	mg/kg		Not Detected	US EPA 8270D(GC/MS)
Deca-BB	mg/kg		Not Detected	US EPA 8270D(GC/MS)
Total-PBDEs	mg/kg		Not Detected	US EPA 8270D(GC/MS)
Mono-BDE	mg/kg		Not Detected	US EPA 8270D(GC/MS)

- Next Page -

Hang-Sik Yim
Prepared by Hang-Sik Yim
Tel: +82-31-999-3164
E-mail: hangsik@ktr.or.kr

Hyung-Ki Kim
Reviewed by Hyung-Ki Kim
Technical Manager
E-mail: ksurfac@ktr.or.kr

Aug.30.2007
Korea Testing & Research Institute
President Bowon Lee

1 of Total 2 Page(s)

KOREA TESTING & RESEARCH INSTITUTE

KTR www.ktr.or.kr

TEST REPORT
(Additional Copy)

7-6, Gomak-Ri, Wolgot-Myeon, Gimpo-Si, Gyeonggi-Do, KOREA TEL 82-31-999-3000 FAX 82-31-999-3001

Report No : TAH-005006
Client : Chun-Man, Lee
Eagon Environment Co., Ltd.
#67-4, Yulsaeng-Ri, Daegot-Myeon, Gimpo-Si, Gyeonggi-Do, Korea

Receipt Date : Aug.23.2007
Test Date : Aug.30.2007

Sample : Press wood pallet(Green pallet)

TEST RESULTS

TEST ITEM	UNIT	SAMPLE	RESULT	TEST METHOD
Di-BDE	mg/kg		Not Detected	US EPA 8270D(GC/MS)
Tri-BDE	mg/kg		Not Detected	US EPA 8270D(GC/MS)
Tetra-BDE	mg/kg		Not Detected	US EPA 8270D(GC/MS)
Penta-BDE	mg/kg		Not Detected	US EPA 8270D(GC/MS)
Hexa-BDE	mg/kg		Not Detected	US EPA 8270D(GC/MS)
Hepta-BDE	mg/kg		Not Detected	US EPA 8270D(GC/MS)
Octa-BDE	mg/kg		Not Detected	US EPA 8270D(GC/MS)
Nona-BDE	mg/kg		Not Detected	US EPA 8270D(GC/MS)
Deca-BDE	mg/kg		Not Detected	US EPA 8270D(GC/MS)

1. PBBs : Polybrominated biphenyls, PBDEs : Polybrominated diphenyl ethers.
2. Limit of detection : 1 mg/kg
3. Because of no certified standard solutions, the amount of Hepta-BB and Nona-BB of PBBs congeners was excluded in the quantitative analysis of total PBBs.
4. Limit of detection : Pb(5mg/kg), Cd, Hg(1mg/kg), Cr(VI)(2mg/kg)

* ICP Analysis after Sulfuric acid + Nitric acid resolution

USAGE : QUALITY CONTROL

NOTE : 1. The test result of this test report only limited in the sample and sample name presented by the client and do not guarantee the all products of the client.
2. This test report shall be used only within the purpose of its defined usage and also shall not be used for public relation, advertisement and suit without the KTR's written approval.

Hang-Sik Yim
Prepared by Hang-Sik Yim
Tel: +82-31-999-3164
E-mail: hangsik@ktr.or.kr

Hyung-Ki Kim
Reviewed by Hyung-Ki Kim
Technical Manager
E-mail: ksurfac@ktr.or.kr

Aug.30.2007
Korea Testing & Research Institute
President Bowon Lee

2 of Total 2 Page(s)

ROSH指令で規制されている有害物質を含んでいないことが
韓国科学試験研究院より証明されているため
輸出時の検疫(Quarantine)問題を完璧に解決しております

株式会社 F-ISM

PWP(Press Wood Pallet)

完全乾燥された木材副産物を使用して
衛生的に生産されたため細菌・かびの発生を抑制します



2.U.S.A (USDA)

USDA-APHIS-PPQ

USDA-APHIS-PPQ
UNIT 140
4700 River Road
Riverdale, MD 20737

Phone: (301) 734-5799
Fax: (301) 734 5786

Ronald.C.Campbell@usda.gov

Facsimile

To: Steve Han
@Fax: (425) 454-2300
From: Ron Campbell
Date: Tuesday, November 17, 1998
Re: Presswood pallets
Pages: 1

Steve,

Thank you for the information you provided concerning the Eagon Presswood Pallets manufactured in Korea.

The product information clearly indicates that your pallets are processed beyond the scope of our regulations. They do not conform to the definition of solid wood packing material in 7 CFR 319.40 or the recent interim ruling banning solid wood packing material from China and therefore, pose no phytosanitary threat to the United States if imported from a foreign country.

Ron Campbell



PLANT HEALTH OLD FOR 604 P.01

4.U.K

Forestry Commission

Plant Health Service

Mr Sung Shik Park
Manager
Eagon Industrial Co Ltd
Kimpo Factory
67-4 Yulsseng - R1 Taegot-Myun
Kimpo Gun
Kyunggi-DO Korea

Forestry Commission
231 Corstorphine Road
Edinburgh
EH12 7AT

Tel 0131 334 0303
(switchboard)
0131 314 6401
(direct)
Fax 0131 334 3943
roddie.burgess@forestry.gov.uk

Head of
the Forestry Authority
David Rose OR FICFor.

My Ref: PH 1/6/7
Yr Ref:
Date: 2 February 1999

BY FAX 00 82 341 987 9150

Dear Mr Sung Shik

EAGON GREEN PRODUCTS

Thank you for your fax of 2 February and for the information on the technical specification and production process of this product.

As this product does not contain any unprocessed wood I can confirm that it is not subject to any quarantine restrictions under UK legislation and there are no requirements which need to be met or certificates provided to enable landing in the United Kingdom.

I can also advise you that this product is not subject to any quarantine restrictions under the European Union's Plant Health Directive and entry into any part of the European Community is equally unrestricted.

Yours sincerely

Roddie Burgess
Head, Plant Health Service

Protecting and expanding Britain's forests and woodlands, and increasing their value to society and the environment
http://www.forestry.gov.uk

アメリカの認証証明書　　EU加盟国の認証証明書

PWPはアメリカ農務省の検疫機関を始めとした
カナダ・EU加盟国等から防疫不要の認証を得ているため
防疫・熱処理(薫蒸)が不要です

株式会社 F-ISM

PWP(Press　Wood　Pallet)

ドイツのWERZALIT社との技術提携による
完全無人自動システムPLCを導入しております

PLCにより大量かつ正確な規格生産が可能です

株式会社　F-ISM

PWP(Press　Wood　Pallet)

PWPは完全自動化システムで
効率よく製造され安価です

Chipper

Flaker

Dryer

Robot

Blender

Press

株式会社 F-ISM

PWP(Press　Wood　Pallet)　使用上の注意

PWPは、2方差しパレットです。
フォークリフト、ハンドリフトを使用の際、差し方向を誤ると、パレットが破損する恐れがありますので、取り扱いには十分ご注意願います。
尚、以下使用外での取り扱いにて、破損した場合、保証対応外となりますので、予め、ご了承願います。



・フォークリフトの差し込み方向
　模様に垂直になるように差します。



・フォークリフトの爪の長さ
　フォークリフトの爪の長さが十分でないと割れることがあります。

株式会社　F-ISM

株式会社　F-ISM

PWP(Press　Wood　Pallet)　日本取扱店

設立2009年1月5日
役員構成
代表取締役社長　石井俊光
取締役　福谷俊幸
取締役　関根信宏
監査役　溝井広明

〈本社〉
〒344-0007埼玉県春日部市小渕778番地1号
ﾌﾘｰﾀﾞｲﾔﾙ:0120-810-656
TEL:048-763-5227　FAX:048-763-5119
E-Mail: info@f-ism.jp
URL:http://www.f-ism.jp

グループ　構成

名古屋　丸福梱包株式会社
埼玉　大和梱包運輸株式会社
東京　旭梱包株式会社
茨城　誠和梱包製箱株式会社

株式会社 F-ISM

地域の枠を超え同一レベルのサービスを
提供していきます

株式会社　F-ISM

MAKER
EAGON ENVIRONMENT CO.,LTD.
www.eagon.com

株式会社 F-ISM

2010-03-12